

Peer Reviewed Publications

Shannen C. Lorraine, Mark A.W. Lawrence, Michael Celestine, Alvin A. Holder, Electrochemical response of a Ru(II) benzothiazolyl-2- pyridinecarbothioamide pincer towards carbon dioxide and transfer hydrogenation of aryl ketones in air, *J. Mol. Struct.*, 2020, 1222, 128829. DOI: 10.1016/j.molstruc.2020.128829

Keaton A. Logan, Helen Asemota, Chukwuemeka Nwokocha, Mark A. Lawrence, Rory Thompson, Magdalene Nwokocha, Mohammed Bakir, The Effects of Synthesized Semicarbazone Copper Complex on Blood Pressure in Normotensive and L-NAME Induced Hypertensive Rats, *J. Biomed. Biotechnol.*, 2020, 3 (2), 66-77. DOI: 10.26502/jbb.2642-91280028

Michael J. Celestine, Mark A. W. Lawrence, Nicholas K. Evaristo, Benjamin W. Legere, James K. Knarr, Olivier Schott, Vincent Picard, Jimmie L. Bullock, Garry S. Hanan, Colin D. McMillen, Craig A. Bayse, and Alvin A. Holder, N-substituted 2-pyridinecarbothioamides and Polypyridyl Mixed-ligand Cobalt(III)-Containing Complexes for Photocatalytic Hydrogen Generation, *Inorg. Chim. Acta*, 2020, 510, 119726. DOI: 10.1016/j.ica.2020.119726

Mohammed Bakir, Mark A.W. Lawrence, M.Bohari Yamin, Novel κ₂-Nim,S- and κ₄-C,Nim,(μ-S),(μ-S)-coordination of di-2-thienyl ketone thiosemicarbazone (dtktsc). Hydrogen evolution and catalytic properties of palladacyclic [Pd(κ₄-C,Nim,(μ-S),(μ-S)-dtktsc-H₂)]₄, *Inorg. Chim. Acta*, 2020, 507, 119592. DOI: 10.1016/j.ica.2020.119592

Mark A.W. Lawrence, Willem H. Mulder, Michael J. Celestine, Colin D. McMillen, Alvin A. Holder, Assessment of two cobalt(II) complexes with pincer ligands for the electrocatalytic hydrogen evolution reaction. A comparison of the SNS vs ONS coordination, *Inorg. Chim. Acta*, 2020, 506, 119497. DOI: 10.1016/j.ica.2020.119497

Mark A.W. Lawrence, Shannen C. Lorraine, Kerrie-Ann Wilson, and Kirk Wilson, Voltammetric properties and applications of hydrazones and azo moieties. *Polyhedron*, 2019, 173, 114111. DOI: 10.1016/j.poly.2019.114111

Mohammed Bakir, Mark A.W. Lawrence, Peter N. Nelson, Bohari M Yamin, Catalytic C-C cross coupling and hydrogen evolution by two Pd(II)-complexes of di-2-pyridyl ketone benzoyl hydrazones, *J. Coord. Chem.*, 2019, 72 (13) 2261-2278. DOI: 10.1080/00958972.2019.1645329

Tishauna L.C. Green, Peter N. Nelson, Mark A.W. Lawrence, Spectroscopic, optical sensing and RedOx behaviour of 1, 5-diphenylcarbazone. *J. Mol. Struct.*, 2019, 1195, 426-434. DOI: 10.1016/j.molstruc.2019.06.011

Mark A. W. Lawrence and Willem Mulder. SNS versus SNN Pincer Ligands: Electrochemical studies and their palladium(II) complexes as electro-catalyst for proton reduction. *ChemistrySelect*, 2018, 3, 8387–8394. DOI: 10.1002/slct.201802065

Mohammed Bakir, Mark A. W. Lawrence, and Rebecca R. Conry. X-ray crystallographic, spectroscopic and electrochemical properties of Group 12 metal-chlorides of di-2-pyridyl ketone acetic acid hydrazone [dpkaah]. *J. Coord. Chem.*, 2018, 71 (15), 2322-2339. DOI: 10.1080/00958972.2018.1471685

Mark A. W. Lawrence, Kerry-Ann Green, Peter N. Nelson, and Shannen C. Lorraine. Pincer ligands—tunable, versatile and applicable. *Polyhedron*, 2018, 143, 11–27. DOI: 10.1016/j.poly.2017.08.017

Mohammed Bakir, Mark A. W. Lawrence, Marhoun Ferhat and Rebecca R. Conry. Spectroscopic, electrochemical and X-ray crystallographic properties of a novel palladium(II) complex of thioamide deprotonated di-2-pyridyl ketone thiosemicarbazone (dpktsc-H)-. *J. Coord. Chem.*, 2017, 70 (17), 3048–3064. DOI: 10.1080/00958972.2017.1374379

Mohammed Bakir, Mark A. W. Lawrence, Peter N. Nelson, and Rebecca R. Conry. Spectroscopic and electrochemical properties of di-2-thienyl ketone thiosemicarbazone (dtktsc): electrochemical reactions with electrophiles (H⁺ and CO₂). *Electrochim. Acta.*, 2016, 212, 1010–1020. DOI: 10.1016/j.electacta.2016.07.051

Mark A. W. Lawrence, Michael J. Celestine, Edward T. Artis, Lorne S. Joseph, Deisy L. Esquivel, Abram J. Ledbetter, Donald M. Cropek, William L. Jarrett, Craig A. Bayse, Matthew I. Brewer, and Alvin A. Holder. Computational, electrochemical, and spectroscopic studies of two mononuclear cobaloximes: the influence of an axial pyridine and solvent on the redox behaviour and evidence for pyridine coordination to cobalt(I) and cobalt(II) metal centres. *Dalton Trans.*, 2016, 45, 10326–10342. DOI: 10.1039/c6dt01583b

Mark A. W. Lawrence and Alvin A. Holder. Assessing the stability of the Co(I) species of two mononuclear dichlorocobalt compounds bearing 2,2'-bipyridine and trans-2-(2'-quiolyl)methylene-3-quinuclidione via ⁵⁹Co NMR spectroscopy, electrochemical, and catalyzed proton electroreduction studies. *Inorg. Chim. Acta*, 2016, 441, 157–168. DOI: 10.1016/j.ica.2015.11.016

Mark A. W. Lawrence, Colin McMillen, Raj K. Gurung, Michael J. Celestine, Jessa F. Arca, and Alvin A. Holder. Synthesis, X-ray crystallographic, electrochemical, and spectroscopic studies of bis-(1,10-phenanthroline)(2,2'-bipyridine)cobalt(III) hexafluorophosphate. *J. Chem. Crystallogr.*, 2015, 48 (8-9), 427–433. DOI:10.1007/s10870-015-0610-2

Mohammed Bakir, Mark A. W. Lawrence, and Shameal McBean. Spectroscopic and electrochemical properties of group 12 acetates of di-2-pyridylketone thiophene-2-carboxylic acid hydrazone (dpktch-H) complexes. The structure of [Cd($\text{N}_3\text{N},\text{O}$ -dpktch-H)₂]. *Spectrochim. Acta A*, 2015, 146, 323–330. DOI:10.1016/j.saa.2015.03.079

Mark A. W. Lawrence, Yvette A. Jackson, Willem H. Mulder, Per Martin Björemark, and Mikael Håkansson. Synthesis and structure of a novel substituted benzothiazolyl-N-phenyl-2-pyridinecarbothioamide; kinetics of formation and electrochemistry of two of its palladium pincer complexes. *Aust. J. Chem.*, 2015, 68 (5), 731–741. DOI:10.1071/CH14380

Mark A. W. Lawrence, Paul T. Maragh, and Tara P. Dasgupta. Mechanistic studies of the selective reduction of ruthenium(III) containing trinuclear oxo complexes by L-ascorbic acid in aqueous solution. *Transition Met. Chem.*, 2012, 37, 505–517. DOI:10.1007/s11243-012-9616-1

Mark A. W. Lawrence, Paul T. Maragh, and Tara P. Dasgupta. Mechanistic studies on the intra-molecular electron transfer in the adduct species of some oxo-centred trinuclear iron(III)/chromium(III) cations and L-ascorbic acid in aqueous acetate buffer. *Inorg. Chim. Acta*, 2012, 388, 88–97. DOI:10.1016/j.ica.2012.02.038

Mark A. W. Lawrence, Sonia E. Thomas, Paul T. Maragh, and Tara P. Dasgupta. Mechanistic studies on the intra-molecular electron transfer in an adduct species of the oxo-centred trinuclear iron(III) cation and L-ascorbic acid in aqueous solution. *Transition Met. Chem.*, 2011, 36, 553–563. DOI:10.1007/s11243-011-9502-2

Mark A. W. Lawrence; Paul T. Maragh; and Tara P. Dasgupta. Kinetics and mechanism of the aquation of a series of mixed-metal oxo-centered trinuclear cations, μ_3 -oxo-triaqua-hexakis(carboxylato)bis-(chromium(III)(iron(III)) $^{+}$, [(RCOO) 6 (H 2 O) 3] $^{+}$, (R = H, CH 3 , CH 3 CH 2 and (CH 3) 2 CH) in perchloric acid media. *J. Coord. Chem.*, 2010, 63 (14), 2517–2527.
DOI:10.1080/00958972.2010.491546

Mohammed Bakir, Mark A.W. Lawrence, and Marvadeen Singh-Wilmot. Synthesis and characterization of a cadmium-dichloro compound of N,N,O-di-2-pyridyl ketone thiophene-2-carboxylic acid hydrazone (η_3 -dpktch). The structure of [CdCl 2 (η_3 -dpktch)]. *J. Coord. Chem.*, 2007, 60, 2385–2399. DOI:10.1080/00958970701266732

Book Chapters

Co-Editor: Ruthenium Complexes—Photochemical and Biomedical Applications Wiley VC-H, 2018.

2. Mark A. W. Lawrence, Jimmie L. Bullock, and Alvin A. Holder, Coordination chemistry of ruthenium in Ruthenium Complexes—Photochemical and Biomedical Applications, Ed. Alvin A. Holder, Jimmie L. Bullock Jr., Mark A. W. Lawrence, Wesley R. Browne, and Lothar Lilge. Wiley VC-H, 2018.

Conference proceedings

Mark A. W. Lawrence, Pincer Ligands Based on Pyridylcarbo(thio)amides Backbones as Effective Ancillary Ligands in Electro- and Homogeneous-catalysis.

21st General Meeting and Conference, The Caribbean Academy of Sciences, UWI Mona, Jamaica (November 27-30, 2018).

Logan K.A., Lawrence M.A., Bakir M., Nwokocha C.R., and Asemota H.N. The hypotensive properties of synthesized copper complexes of di-2- pyridyl ketone semicarbazone.

11th Conference of The Faculty of Science And Technology, UWI, Mona, Jamaica (Apr 25–27, 2018).

Mohammed Bakir, Neenem Dilworth, Mark Lawrence, and Peter Nelson, X-Ray Crystallographic and Spectroscopic Properties of Group 12 Metal Complexes of Di-2-Pyridyl Ketone Thiosemicarbazone.

27th Mona Symposium UWI, Mona, Jamaica (January 8-11, 2018).

Michael J. Celestine, Mark A. Lawrence, Jere Combs, Caitlyn E. Galbraith, Lorne S. Joseph, Alvin Holder, Overlooked reaction involving a catalyst, [Co(dmgbF 2) 2 (OH 2) 2], and a sacrificial electron donor, triethylamine during the production of hydrogen in acidified acetonitrile: A mechanistic study that must not be ignored!

251st ACS National Meeting & Exposition, San Diego, CA, U.S.A. (March 13-17, 2016).

Mohammed Bakir, Peter Nelson, Mark Lawrence, Toni Johnson, Kenroy Wallace and Hellen Asemota. Physico-chemical and biological properties of polypyridyl hydrazonic ligands. Conference of the Faculty of Science and Technology, UWI, Mona, Jamaica (June 8-11, 2015)

Mark A.W. Lawrence, Paul T. Maragh, and Tara P. Dasgupta. Oxo-centred Trinuclear Transition Metal Complexes, μ_3 -oxo-Triaqua-hexakis(acetato)tris-(metal(III)) $^{+}$, in Aqueous Media.

MAM-10:5th IUPAC-Sponsored International Symposium on Macro- and Supramolecular Architectures and Materials, Ocho Rios, Jamaica. (August 15-20, 2010).

Mark A.W. Lawrence, Paul T. Maragh, and Tara P. Dasgupta. Kinetics & Mechanism Of The Oxidation of L-Ascorbic Acid by Oxo-centred Trinuclear Cations, μ_3 -oxo-Triaqua-hexakis(carboxylato)bis-(chromium(III)-(iron(III)) $+$, [Cr III 2Fe III O(RCO $_2$) $_6$ (H 2 O) $_3$] $+$, (where R = CH $_3$, CH $_3$ CH $_2$ and (CH $_3$) 2 CH) in Aqueous Acetate Buffer.

236th National Meeting of the American Chemical Society, Philadelphia, PA, U.S.A. (August 17-21, 2008).

Mark A.W. Lawrence, Paul T. Maragh, and Tara P. Dasgupta. Kinetics & Mechanism Of The Oxidation of L-Ascorbic Acid by the Oxo-centred Trinuclear Iron(III) Cation, μ_3 -oxo-Triaqua-hexakis(acetato)tris(iron(III)) $+$, [Fe III $_3$ O(CH $_3$ COO) $_6$ (H 2 O) $_3$] $+$, in Aqueous Acetate Buffer.

8th Annual Faculty Conference, FPAS, UWI, Mona, Jamaica (March 2008).