

Continued from inside front cover

A second transurethral resection of bladder tumour (TURBT) is suitable for muscle-invasive bladder cancer when bladder preservation is planned and it prolongs survival time and improves the quality of patients' life.

844 Evaluation of Incidental Thyroid Cancer in Patients with Thyroidectomy

V Taşova, B Kilicoglu, S Tuncal, E Uysal, MZ Sabuncuoglu, Y Tanrikulu, A Aydogan, AK Onalan, S Dinc, MA Akkus

Thyroidectomy is preferable for the treatment of benign thyroid diseases due to the high prevalence of incidental thyroid cancer after thyroidectomy in such cases.

CASE REPORTS

849 A Plea for More Umbilical Stomas in Paediatric Surgical Practice

MV Vincent, SE Dundas Byles

852 Incontinentia Pigmenti in 22-month Old Afro-Caribbean Fraternal Twin Girls: A Case Report

T Percival, K Smith

856 Deep Lobe Parotid Abscess with Facial Nerve Palsy: A Case Report

T-H Chi, H-S Chen, C-H Yuan, Y-H Tsao

859 Metastatic Tumour of Spermatic Cords, Epididymis and Seminiferous Duct from Gastric Carcinoma

F Xu, Y Wang

861 Treatment with Acarbose in Severe Hypoglycaemia Due to Late Dumping Syndrome

Congcong Wang, Shuguang Pang, Qiang Jiang, Guanglan Duan, Yongmei Sun, Mei Li

864 QT Interval Prolongation Associated with Azithromycin/Methadone Combination

S Amer, S Hassan, M Shariffi, L Chueca

866 Recurrent Primary Hydatid Disease of the Tibia

YA Lone, I Mumtaz, E Mushtaq, AH Sarmast, MY Kachroo

869 Chronic Renal Disease and Reversible Posterior Leukoencephalopathy Syndrome after Liver Transplantation

J Wang, M Xu, B Luo

873 Peer Reviewers 2013

874 Index